


# TruLog™

MAINTENANCE-FREE STEEL SIDING

## PRODUCT CATALOG



Wood Grain  
Look



Maintenance  
Free



Class A Fire  
Rating



30-Year  
Warranty

**970-646-4490** | [www.TruLogSiding.com](http://www.TruLogSiding.com)

## Why TruLog Siding?

All the comfort and charm of a rustic log home without the routine log cabin maintenance. Innovative TruLog steel log siding provides a durable, hassle-free way to live in a log cabin-style home without the upkeep of wood.

### Features



#### Simple Up Keep

Spend time enjoying your home! No staining, painting, or sealing with our product.



#### Textured Definition and Dimension

Natural wood grain texture provides a more authentic and attractive look for lasting curb appeal.



#### Energy Savings

Reflective paint finish helps reduce your energy bills.



#### Rust & Corrosion Resistant

Our galvanized steel resists rust, decay, and corrosion.



#### Class A Fire Rating

TruLog siding has been tested by an independent laboratory and qualified for the highest fire rating available.



#### USA Made Steel


Made from a recycled material, is 100% recyclable and is good for the environment.

### Real Wood Siding

Half-log siding gives your home the most authentic log look out of all the simulated log materials we compare, but lack in many other categories. Half-log materials such as staining, sealing, and chinking, can cost a fortune! It can be anywhere from \$9-\$12 a square foot. The money doesn't stop there. The major downfall with wood is that it needs to be maintained and taken care of to perform properly and protect your house. Every 2 to 3 years you will have to perform maintenance on these logs, which can get very expensive and time consuming. Maintenance on a real log home can cost thousands of dollars, and you may even have to deal with boring bees, woodpeckers, and other pests! Do you want to be constantly maintaining your home? Or would you like to enjoy it?



Non-Repairable Wood




Wood Peckers



Boring Bees

### Vinyl Siding


Most of the time, people choose vinyl siding for the fact that it is an inexpensive product, and there are many colors. Unfortunately, you will get cheap performance. Vinyl siding might last 10 years before it starts to warp, crack, fade, have holes punctured in it, or simply blow off your house. Vinyl can also attract mold and mildew that will need to be treated. It can even crack with harsh weather conditions. Vinyl is not a very durable material, so you get what you pay for.




Cracking



Discoloration




Mold



Warping/Buckling

### Fiber Cement

Fiber cement is another fairly cheap product with cheap performance that will eventually need to be painted. The coating is not durable, and if not treated, the siding could start to fail and fall off the wall. Fiber cement also absorbs water causing swelling to occur which will bust up the siding. There are many warranty claims against fiber cement because the product is failing and not holding up like the manufacturer claims. Most folks will be looking for a replacement siding after 10 to 15 years.



Fading



Cracking



Swelling




	Real Wood	Vinyl Siding	Fiber Cement
Chalk & Fade Resistant	Excellent ✓✓	Poor ✗	Poor ✗
Ease of Maintenance	Excellent ✓✓	Good ✓	Good ✓
Environmentally Friendly	Excellent ✓✓	Poor ✗	Poor ✗
Longevity	Excellent ✓✓	Good ✓	Good ✓
Realistic Appearance	Excellent ✓✓	Poor ✗	Good ✓
Cold/Heat Resistance	Excellent ✓✓	Poor ✗	Good ✓
Warranty Coverage	Excellent ✓✓	Very Poor ✗✗	Very Poor ✗✗
Fire Resistance	Excellent ✓✓	Very Poor ✗✗	Good ✓
Impact Resistance	Excellent ✓✓	Poor ✗	Good ✓
<b>Total Scoring</b>	<b>Excellent</b>	<b>Very Poor</b>	<b>Good</b>

## HD Wood Grain



Ponderosa Pine HD    Dark Walnut HD    Western Cedar HD    Weathered Gray HD    Driftwood HD

## Standard Solid



Cedar    Autumn Brown    Sable    Canyon Red    Dark Charcoal    Farmhouse White

All colors available in **Steel Log Siding**, **Steel Board & Batten** and **Steel Lap** profiles

\*White Available in Board & Batten and Lap.

Actual product color may vary from the images shown. In addition, lighting conditions at the time the photos are taken can also affect the product color. We encourage you to purchase a sample of the steel siding, by logging onto our website today.

[www.trulogsiding.com/sample-order-form](http://www.trulogsiding.com/sample-order-form)




Steel Log Siding



Steel Board & Batten



Steel Lap



- Rigid, solid **steel core**, infused with a galvanizing alloy to **prevent rust & corrosion**
- Foam backer providing an R-Value of 4, making the siding **energy efficient**
- Panels come in **12 foot lengths** and cover **9 inches high** on the wall
- **No maintenance!** Wash it down with a garden hose
- Manufactured with rigid, durable, **26-gauge steel**

## Features



### Paint

30-Year Warranty against cracking, peeling, blistering, fading, and chalking.



### Durable & Longevity

Manufactured out of one of the strongest construction materials, TruLog offers durability and longevity, while giving you an authentic wood look.



### Class A Fire Rating


TruLog siding has been tested by an independent laboratory and qualified for the highest fire rating available.

# Ponderosa Pine HD Wood Grain


STEEL LOG SIDING



PAIRS WELL WITH:



Musket Brown



Evergreen

“ I am getting into my 60’s and wanted to have a log look but no maintenance. I can’t be up on ladders painting this place. We found a local contractor to install the siding for us and he said TruLog was the best product he had ever seen in his 30 years of work. I love the look and couldn’t be happier. ”


- Deb from York, PA

# Dark Walnut HD Wood Grain


STEEL LOG SIDING



PAIRS WELL WITH:



Musket Brown



Dark Walnut

“ I had a great experience working with TruLog. They always returned my emails and calls and were willing to work with me and my schedule. We just love the steel log siding that we installed. The quality is some of the best around. ”

- Jerry M from Emily, MN

# Weathered Gray HD Wood Grain


STEEL LOG SIDING

# Western Cedar HD Wood Grain

STEEL LOG SIDING



PAIRS WELL WITH:



Dark Charcoal




Weathered Gray

PAIRS WELL WITH:



Musket Brown



Western Cedar



“ We had our TruLog siding installed last summer over our original log home. We are ecstatic over the results. No more maintenance and it looks stunning. Thank you TruLog for providing us the perfect solution for our home. ”  
 - Pam K from Fort Morgan, CO


“ I cannot say enough good things about TruLog and their staff. Without a doubt, the very best customer service I've encountered in my 60 years! Then there's the product itself— so authentic looking and durable! Added bonus, much easier to care for than actual logs. I would HIGHLY RECOMMEND anyone considering log siding to give TruLog a call! Absolutely the best in product and customer service! - Jim G from Boomer, NC ”

# Driftwood HD Wood Grain

STEEL LOG SIDING



PAIRS WELL WITH:



Dark Charcoal



Driftwood


# Standard Cedar



PAIRS WELL WITH:  
Musket Brown bold trim and corners

IN PHOTO: Autumn Brown Bold Window & Door Trim

# Standard Autumn Brown



PAIRS WELL WITH:  
Evergreen bold trim and corners

IN PHOTO: Autumn Brown Bold Trim and Corners


# Standard Canyon Red



PAIRS WELL WITH:  
Musket Brown or color matched trim

IN PHOTO: Canyon Red Siding & Accessories

# Round Log Corners



**Want something different than a traditional square corner?**



Check out our **Round Log Corner**. It gives the appearance of a round log running vertically on the corners of your house. It also has a base and cap system making it an easy install process

# Standard Sable



PAIRS WELL WITH:  
Musket Brown bold window + door trim and corners


IN PHOTO: Sable Siding & Accessories



## J-CHANNEL

**1 1/8" J-Channel Specifications:** 10' in length


J-Channel is installed around doors and windows to accept the TruLog siding. When installing the siding, the log siding slides into the channel to hide the cut siding.



## SILL TRIM

**Sill Trim Specifications:** 10' in length


Undersill is used to hold your faux log siding in place underneath windows, because there will be a jagged edge because of the cut made to fit under the window.



## STARTER STRIP

**2 1/2" Starter Strip Specifications:** 10' in length


The starting point for your whole installation – used to lock the first panel of our metal log home siding to your home.



## CORNER BASE & CAP

**1 1/8" Wide Corner Base & Cap Specifications:** 10' in length


Corner bases & caps are used to cover up the corners of your house and hide the cut metal siding.



## FRIEZE BOARD CROWN

**Specifications:** 10' in length


One of the last siding accessories to install on your log home – Frieze board is used where the top metal siding panel meets your soffit.




## BOLD WINDOW & DOOR TRIM

**Bold Window Trim Specifications:** 10' in length


A great finishing piece for your home – it provides your windows and doors with a bold, trimmed out look like you would see with a 1x4 or 2x4.



## J BLOCKS (Light, Utility)



## VENTS (Dryer Vent, Exhaust Vent)



## ROCK TRANSITION (10' piece)

Rock transition is used to separate and transition for a stone or rock wainscoting to our steel siding. This piece can be customized to the specific profile of your rock or stone. This will act as a flashing and also a starting point for our siding.




## CUSTOM TRIM (10' piece)

We can fabricate just about any custom trim piece you need if you provide dimensions and a drawing.

## COIL

We can provide color matched coil stock for you to bend custom trim on the jobsite.



- Rigid, solid **steel core**, infused with a galvanizing alloy to **prevent rust and corrosion**
- Panels come in **8, 9, 10 and up to 16 ft** panels with **custom** lengths available and cover **9.25" inches wide** on the wall
- **No maintenance!** Wash it down with a garden hose
- Manufactured with rigid, durable, **26-gauge steel**

## Features



**Paint**  
30-Year Warranty against cracking, peeling, blistering, fading, and chalking.




**Class 4 Impact Rating**  
Highest rated impact resistance making it difficult to dent the siding.




**Class A Fire Rating**  
TruLog siding has been tested by an independent laboratory and qualified for the highest fire rating available.

# Ponderosa Pine HD Wood Grain


BOARD & BATTEN SIDING



PAIRS WELL WITH:



Musket Brown




Evergreen

# Dark Walnut HD Wood Grain

BOARD & BATTEN SIDING




PAIRS WELL WITH:



Musket Brown



Dark Walnut



“ The TruLog folks were great! They came in on a weekend to accommodate me picking my siding up. Bent over backwards to make sure I was happy, I thought I was pleased then, until the siding was installed now we're ecstatic our home looks great, have a couple more things to do then will send pictures. They are great to deal with - ten star in my book. ”

- Jeff N from Douglas, WY

“ We found this product to be high quality and easy to install. TruLog was great to work with and always responded to our needs. Several people have stopped to tell us how much they like the look of our cabin and ask where we got this siding. ”

- Terrie J from Tabiona, UT

# Weathered Gray HD Wood Grain


BOARD & BATTEN SIDING

# Western Cedar HD Wood Grain


BOARD & BATTEN SIDING



PAIRS WELL WITH:




Dark Charcoal



Weathered Gray

PAIRS WELL WITH:



Musket Brown



Western Cedar



“ Used TruLog on my 23,000 sq ft business. The entire process was quick and easy. I have customers asking everyday if it is real log. ”  
 - Phillip C from Tonitown, AR

“ Excellent product, I was able to install it myself with a little help from my friends. I highly recommend TruLog, their customer service was also excellent. ”  
 - Jon M from Athens, NY

# Driftwood HD Wood Grain


BOARD & BATTEN SIDING

# Modern Farmhouse White

STEEL BOARD & BATTEN SIDING



PAIRS WELL WITH:




Dark Charcoal



Driftwood

PAIRS WELL WITH:



Dark Charcoal



Farmhouse White



“ I love the idea of getting the Modern Farmhouse look that I’ve always wanted, maintenance free! Purchasing TruLog siding was one of the best decisions we ever made. The people are great to work with and the product is of high quality. ”  
 - John M. from Loveland, CO

## J-CHANNEL

**3/4" J-Channel Specifications:** 10' in length


J-Channel is installed around doors and windows to accept the TruLog siding. When installing board & batten siding, the siding slides into the channel to hide the cut siding.



## BOLD BAND BOARD

**Specifications:** 10' in length


The band board is used to transition one section of the board and batten on top of another. If you have a wall taller than 10 ft, the band board is used to cap the lower section and also act as the starting point for the next section above it.



## SILL TRIM

**Sill Trim Specifications:** 10' in length

Sill is used to cover the cut edges of steel when you cut your panel down to fit around your doors and windows.



## RAT STOP/STARTER

**Rat Stop Specifications:** 10' in length


The starting point for your installation – installed at the bottom of the wall just like other starter material, and prevents any rodents from getting behind the siding.



## CORNER BASE & CAP

**3 3/4" Wide Corner Base & Cap Specifications:** 10' in length


Corner bases & caps are used to cover up the corners of your house and hide the cut metal siding.




## BOLD WINDOW & DOOR TRIM

**Bold Window Trim Specifications:** 10' in length


A great finishing piece for your home – it provides your windows and doors with a bold, trimmed out look like you would see with a 1x4 or 2x4.



## J BLOCKS (Light, Utility)



## VENTS (Dryer Vent, Exhaust Vent)




## CUSTOM TRIM (10' piece)


We can fabricate just about any custom trim piece you need if you provide dimensions and a drawing.

## COIL


We can provide color matched coil stock for you to bend custom trim on the jobsite.




Board & Batten Soffit - Vented




Board & Batten Soffit - Solid



Soffit J-Channel




Fascia



- Rigid, solid **steel core**, infused with a galvanizing alloy to **prevent rust & corrosion**
- Panels come in **12 foot lengths** and cover **9.25 inches high** on the wall
- **No maintenance!** Wash it down with a garden hose
- Manufactured with rigid, durable, **26-gauge steel**



### PAIRS WELL WITH:



Musket Brown



Evergreen



## Features



### Paint

30-Year Warranty against cracking, peeling, blistering, fading, and chalking.



### Class 4 Impact Rating

Highest rated impact resistance making it difficult to dent the siding.



### Class A Fire Rating

TruLog siding has been tested by an independent laboratory and qualified for the highest fire rating available.

# Dark Walnut HD Wood Grain


STEEL LAP SIDING

# Weathered Gray HD Wood Grain

STEEL LAP SIDING



PAIRS WELL WITH:



Musket Brown



Dark Walnut

PAIRS WELL WITH:



Dark Charcoal



Weathered Gray



# Western Cedar HD Wood Grain


STEEL LAP SIDING

# Driftwood HD Wood Grain

STEEL LAP SIDING



PAIRS WELL WITH:




Musket Brown



Western Cedar

PAIRS WELL WITH:



Dark Charcoal



Farmhouse White

# Modern Farmhouse


STEEL LAP SIDING

# Modern Farmhouse Dark Charcoal

STEEL LAP SIDING



PAIRS WELL WITH:




Dark Charcoal




Farmhouse White


PAIRS WELL WITH:



Dark Charcoal




Farmhouse White



## J-CHANNEL

**3/4" J-Channel Specifications:** 10' in length


J-Channel is installed around doors and windows to accept the TruLog siding. When installing the lap siding, the siding slides into the channel to hide the cut siding.



## SILL TRIM

**Sill Trim Specifications:** 10' in length


Sill is used to cover the cut edges of steel when you cut your panel down to fit around your doors and windows.



## STARTER STRIP

**2 1/2" Starter Strip Specifications:** 10' in length


H-Starter (Starter strip) is the first siding accessory you will install on your home because it is the starting point for your whole installation. The Starter strip is used to lock the first panel of the lap siding to your home.



## CORNER BASE & CAP

**3 1/4" Wide Corner Base & Cap Specifications:** 10' in length


Corner bases & caps are used to cover up the corners of your house and hide the cut metal siding.



## FRIEZE BOARD CROWN

**Specifications:** 10' in length


One of the last siding accessories to install on your lap home – Frieze board is used where the top lap siding panel meets your soffit.




## BOLD WINDOW & DOOR TRIM

**Bold Window Trim Specifications:** 10' in length

A great finishing piece for your home – it provides your windows and doors with a bold, trimmed out look like you would see with a 1x4 or 2x4.



## J BLOCKS (Light, Utility)




## VENTS (Dryer Vent, Exhaust Vent)



## ROCK TRANSITION (10' piece)

Rock transition is used to separate and transition for a stone or rock wainscoting to our steel siding. This piece can be customized to the specific profile of your rock or stone. This will act as a flashing and also a starting point for our siding.



## CUSTOM TRIM (10' piece)

We can fabricate just about any custom trim piece you need if you provide dimensions and a drawing.

## COIL

We can provide color matched coil stock for you to bend custom trim on the jobsite.



White Board & Batten and Dark Charcoal Lap



Driftwood Lap and Board & Batten



Western Cedar Log and Walnut Board & Batten



Western Cedar Log and White Board & Batten



# Frequently Asked Questions

## Where can I purchase TruLog?

You can order directly from our factory in Colorado, and we will ship it directly to your location! We want to make sure you receive a great customer experience, so we sell direct.

## How is the siding shipped?

We put all the materials in boxes and palletize it for shipping. We have great relationships with carriers to deliver the material to your location. They call and set a delivery date and time with you. The material can be hand unloaded or you can use machinery to offload the pallets.

## How much does shipping cost?

We take care of shipping if you buy 1,000 sq ft or more of siding. If your order is smaller, shipping can range from \$400-\$600.

## Does the insulation or foam backer come with the Log Siding?

It sure does! Each panel has foam inserts in the box with it. The foam roughly adds an insulation value of 4 to the home and helps with impact resistances.

## Will steel rust?

TruLog's rust resistance comes from the galvanizing process, where steel is alloyed with zinc, a metal that is less likely to corrode. When steel is galvanized, it is submerged in molten zinc and the subsequent chemical reaction permanently bonds the zinc to the steel. Aluminum is also included in the mixture to prevent rust, and the steel is sometimes referred to as galvalume after the process.

## Will TruLog fade?

TruLog comes with a 30-year warranty against cracking, peeling, blistering, fading, and chalking. The superior paint systems, Modified Polyester and Kynar, provide extremely durable UV protection so you don't have to worry about fading like other products such as vinyl, fiber cement, or wood.

## Do you have to maintain TruLog?

You do not! No staining, painting, sealing, or anything. Just wash down the siding with a garden hose to keep it looking new. You can even use some soap or detergent to help get dust and dirt off.

## How does the cost of TruLog compare to other Log Look Products?

TruLog steel log siding and steel siding in general, are more expensive upfront compared to fiber cement, wood or vinyl. However, over the lifetime of the product, you save money since you won't have to stain, paint, seal, chink, or do anything to the siding, which can cost you thousands of dollars. Our siding even helps with energy bills.

## Can a DIY homeowner install the product? Do we need a contractor?

We have had plenty of homeowners install the siding themselves. We provide in-depth instructions and videos on how to install the siding. If you think it may be too much for you, give a reputable siding installer a call, and they can handle the product! It is an easy installation.

## How is the steel siding cut?

You can use hand snips (Midwest Snips), nibblers (DeWalt or other brands), or a radial arm saw with a ferrous, metal cutting blade (Diablo, Tenryu, Irwin, etc). Make sure the blade is designed to specifically cut steel. Do not use a blade backward.

## How can I see TruLog in person?

We have homes all around the country that you might be able to see. Contact us and we can figure out if there is a home near you. You can also order a sample pack from us to see what it looks like!

## Does the foam come with the Board & Batten?

No, we have many people that will use fan fold foam behind the Board & Batten


# How to Measure Your House

You will need a tape measure and some simple calculations for total square footage. For a rough estimate, you should be able to divide your siding into squares, rectangles and triangles.

Squares and rectangles use the simple formula: **square footage = height x length**  
Triangles use the formula: **square footage = (height x length)/1.5**




Remember to subtract the window or door areas



### SQUARES AND RECTANGLES

square footage = height x length  
This works for any square or rectangle shape.



### TRIANGLES

square footage = (height x length)/1.5  
The area of any triangular shape is the height times the length divided by 1.5.  
We use 1.5 to factor for waste.

**TruLog**<sup>TM</sup>  
MAINTENANCE-FREE STEEL SIDING

For the most accurate material quote and estimate, you can send us floor plans, blueprints, or pictures with all your home dimensions, window and door sizes. We can work up estimates for free so don't hesitate to contact us!



For installation instructions, visit: [www.trulogsiding.com/steel-log-siding-installation/](http://www.trulogsiding.com/steel-log-siding-installation/)



Check out our installation guides available on our website under


- > Product
- > Installation
- > Guides

[www.trulogsiding.com/installation-support/](http://www.trulogsiding.com/installation-support/)

Considering doing your own install for your project?

Check out our installation videos on our website to see our step by step process

[www.trulogsiding.com/trulog-videos/](http://www.trulogsiding.com/trulog-videos/)



## Recommended Installation Tools & Materials:



### Cutting Tools

- **Slide Miter Saw with Ferrous Metal Cutting Blade**  
We recommend brands like:
  - Diablo: [www.diablotools.com/products/D1260CF](http://www.diablotools.com/products/D1260CF)
  - Tenryu: [www.tenryu.com/prf.html](http://www.tenryu.com/prf.html)
  - Irwin: [www.irwin.com/tools/circular-saw-blades/irwin-metal-cutting-blade](http://www.irwin.com/tools/circular-saw-blades/irwin-metal-cutting-blade)
- **Steel Snips or Hand Snips**  
We recommend Midwest Left & Right Offset Aviation Snips
  - Hand Snips: [midwestsnips.com/product/left-right-offset-aviation-2-piece-set-mwt-6510c/](http://midwestsnips.com/product/left-right-offset-aviation-2-piece-set-mwt-6510c/)
- **Nibblers or electric shears** for your drill or stand alone tool
  - Nibblers: [www.dewalt.com/products/power-tools/polishers-shears-and-nibblers](http://www.dewalt.com/products/power-tools/polishers-shears-and-nibblers)



### Other Helpful Tools

- Cordless Drill
- Caulk Gun
- Blue Chalk Line
- Flat bar
- Utility knife
- Speed square
- Flat nose pliers



### Snap Lock Punch/Notching Tool

You will need a notching tool if you order our crown/frieze board termination trim. This tool is used to punch a notch in the leg of the crown so you can snap it into a soffit j-channel that is either metal or vinyl material.

We recommend a **Malco SL-1 Snap Lock Punch:**

[www.malcoproducts.com/category/sheet-metal-notchers-punches/snap-lock-punch-sheet-metal/](http://www.malcoproducts.com/category/sheet-metal-notchers-punches/snap-lock-punch-sheet-metal/)




### Fasteners


You can use a galvanized or anodized screw. A screw with coarse threads from 1-1.5 inches in length

- We recommend **Grabber Fasteners** from Home Depot, **Bugle Head Philips Gold Screw** or something similar in profile & length.  
[www.homedepot.com/p/Grabber-6-x-1-5-8-in-Bugle-Head-Philips-Gold-Screw-5-lb-per-Box-23265/203111656](http://www.homedepot.com/p/Grabber-6-x-1-5-8-in-Bugle-Head-Philips-Gold-Screw-5-lb-per-Box-23265/203111656)
- For nails, any **carpenter nail** works fine

## Installation Videos



# Need an Installer?



TruLog has worked with many installers/contractors across the country, so we can try and help recommend one for your project. The map above shows the number of installers/contractors we have worked with.

TruLog is not affiliated with any of these contractors/installers and does not take responsibility for their work. Choosing an installer is up to the homeowner.



## Recommended sites to find an Installer:

	<a href="http://www.homeadvisor.com">www.homeadvisor.com</a>
	<a href="http://www.houzz.com">www.houzz.com</a>
	<a href="http://www.Angieslist.com">www.Angieslist.com</a>
	<a href="http://www.bbb.com">www.bbb.com</a>
	<a href="http://www.buildzoom.com">www.buildzoom.com</a>



# TruLog Customer Reviews

[www.topratedlocal.com/tru-log-siding-reviews](http://www.topratedlocal.com/tru-log-siding-reviews)  
to see more reviews

## Ask about **financing** for your steel log siding purchase

### **Hearth**

Affordable payment options for any home improvement project

- Check rates in less than 2 minutes
- Loans typically fund in 1-5 days
- Fixed monthly payments
- No prepayment penalties
- Zero equity required





## MAINTENANCE-FREE STEEL SIDING

20684 Niobrara Blvd. • LaSalle, CO 80645

---

CONTACT US TODAY FOR A FREE ESTIMATE & TO LEARN MORE

**970-646-4490**

info@trulogsiding.com • [www.TruLogSiding.com](http://www.TruLogSiding.com)

---

